

System Modeling

Chapter 5

1

System Modeling

- System modeling is
 - the process of developing abstract representations of a system
 - each model presents a different perspective of that system.
 - ▶ static: represents structure
 - ▶ dynamic: represents behavior
- System models are **Abstract**
 - Not an alternate representation
 - Some details are left out

2

System Modeling

- Models of the system are used in:
 - Requirements development
 - ◊ clarification, discussion
 - Design process
 - ◊ represent plans for implementation
- Models discussed in this class:
 - Use case diagrams (ch. 4)
 - Architectural design diagrams (ch. 6)
 - Simple context diagrams
 - UML class diagrams
 - UML state diagrams
 - Control flow diagrams

UML=Unified Modeling Language


3

Simple Context Model

- Used to define system boundaries
 - indicates what is done by the system being developed, and what will be done manually or by some other system
- Represented as a box and line diagram:
 - Boxes show each of the systems involved
 - Lines show interaction between systems
 - System being developed is in the center


4

Fig 5.1: The context of the MHC-PMS



Note: <<system>> is an example of a “stereotype” in UML
A mechanism to categorize an element in some way

From the BSU Online Bookstore SRS:
Section 2.1 Product Perspective



- Arrowheads not necessary
- Database is often NOT external
- Include a diagram like this in your SRS

UML Class Diagrams

- Static model: represents structure, NOT behavior
- Shows object-oriented classes and associations between them
- Uses:
 - developing requirements: to model real-world objects
 - during design phase: add implementation objects
- Simple class diagrams:
 - **Box** represents a class (with a name)
 - **Lines** show associations between classes (name optional)
 - **Number** at each end to show how many objects can be involved in the association (multiplicity)

Fig 5.8: UML Classes and association



Two classes and one association
(a one-to-one relationship)



Two classes and one association
(a one-to-many relationship)

How many instructors does a Course Section have?

Fig 5.9: Classes and associations in the MHC-PMS






Fig 5.10: Consultation class, in more detail



Generalization (Inheritance)

- Act of identifying commonality among concepts, defining:
 - a general concept (base class)
 - specialized concept(s) (derived class).
- Common attributes are stored in superclass only
 - avoids duplication
- UML class diagram:
 - Arrow points from derived classes to base class
- Example: University personnel
 - Faculty, Staff, Students (graduate and undergrad)
 - All university personnel have ID numbers
 - All students have majors

Fig 5.12: Generalization in UML class diagram




Aggregation (composition)

- When objects are composed of separate parts
 - ex: a university class is composed of a faculty member and several students
- UML class diagram:
 - diamond at end of line closest to “whole” class
- When should you use a diamond?
 - to represent that one object is a “part of” another
 - there is no formal definition.


13

Fig 5.13: Aggregation in UML class diagram



14

From the BSU Online Bookstore SRS: Section 3.4 Logical Structure of the Data



15

From the BSU Online Bookstore SRS: Section 3.4 Logical Structure of the Data

- Used to model “real world” objects during requirements engineering
- No operations indicated.
- Associations with multiplicity ARE indicated.
- Attribute types are NOT from C++, they are more specific and more descriptive.
 - Some include constraints
- Include a diagram like this in your SRS

16

UML State diagrams

- Dynamic model: represents behavior (not structure)
- Describes
 - all the states an (object or component or system) can get into
 - how state changes in response to specific events (transitions)
- Useful when object/component/system is changed by events (real time and embedded systems, etc.)
 - mouse click on certain element
 - certain button is pushed
 - sensor reports a certain value

17

UML State diagrams

- Components of a state diagram:
 - **Rounded rectangles:** system states
 - ▶ includes what action to **do** in that state
 - **Labeled arrow:** stimuli to force transition between states
 - ▶ **optional guard:** transition allowed only when guard is true
 - ▶ **unlabeled arrow:** transition occurs automatically when action is complete

18

Fig 5.16
State diagram of a microwave oven




Diagram is missing (at least) one arrow

19

Control Flow diagrams aka Flowcharts

- Dynamic model: represents behavior (not structure)
- Not a UML model (it's old school)
 - the UML Activity diagram can model same information
- Describes:
 - the flow of control through an algorithm or process
 - branching using diamonds to represent decision points
 - repetition or looping using "back arrows"


20

Control Flow diagrams

- Components of a control flow diagram:
 - **Rounded rectangles:** represent actions or processing
 - ▶ input/output, storing/retrieving values, computation
 - **Arrow:** shows flow of control, where to go next
 - ▶ may return to a previous action, forming a loop.
 - **Diamond:** contains yes/no question (or T/F)
 - ▶ has two arrows coming out of it, one labeled “yes”, other labeled “no”
 - **Start and end:** rectangles indicating where algorithm starts and stops.

21

control flow diagram: example



22